

Package: tidyft (via r-universe)

August 30, 2024

Title Tidy Verbs for Fast Data Operations by Reference

Version 0.4.5

Description Tidy syntax for 'data.table', using modification by reference whenever possible. This toolkit is designed for big data analysis in high-performance desktop or laptop computers. The syntax of the package is similar or identical to 'tidyverse'. It is user friendly, memory efficient and time saving. For more information, check its ancestor package 'tidyfst'.

URL <https://github.com/hope-data-science/tidyft>,
<https://hope-data-science.github.io/tidyft/>

BugReports <https://github.com/hope-data-science/tidyft/issues>

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.0

Imports data.table (>= 1.12.8), stringr (>= 1.4.0), fst (>= 0.9.0)

Suggests knitr, rmarkdown, profvis, dplyr

VignetteBuilder knitr

Repository <https://fastverse.r-universe.dev>

RemoteUrl <https://github.com/hope-data-science/tidyft>

RemoteRef HEAD

RemoteSha 5f6b4e59e6a1a7668d0ce27d60de1b4b6444ca9e

Contents

arrange	2
as_fst	3
complete	4
count	5

cummean	6
distinct	6
drop_na	7
dummy	8
exportfst	9
fill	10
filter	11
fst	12
group_by	14
inner_join	15
lead	16
longer	17
mat_df	18
mutate	19
nest	21
nth	23
object_size	24
pull	24
read_csv	25
relocate	25
replace_vars	26
rowwise_mutate	27
select	28
separate	30
slice	31
summarise	32
sys_time_print	33
uncount	34
unite	34
utf8_encoding	35
Index	37

arrange	<i>Arrange entries in data.frame</i>
---------	--------------------------------------

Description

Analogous function for arrange in **dplyr**.

Usage

```
arrange(.data, ..., cols = NULL, order = 1L)
```

Arguments

<code>.data</code>	<code>data.frame</code>
<code>...</code>	Arrange by what group? Minus symbol means arrange by descending order.
<code>cols</code>	For <code>set_arrange</code> only. A character vector of column names of <code>.data</code> by which to order. If present, override <code>...</code> . Defaults to <code>NULL</code> .
<code>order</code>	For <code>set_arrange</code> only. An integer vector with only possible values of 1 and -1, corresponding to ascending and descending order. Defaults to 1.

Details

Once arranged, the order of entries would be changed forever.

Value

A `data.table`

See Also

[arrange](#), [setorder](#)

Examples

```
a = as.data.table(iris)
a %>% arrange(Sepal.Length)
a
a %>% arrange(cols = c("Sepal.Width", "Petal.Length"))
a
```

as_fst

Save a data.frame as a fst table

Description

This function first export the `data.frame` to a temporal file, and then parse it back as a `fst` table (class name is `"fst_table"`).

Usage

```
as_fst(.data)
```

Arguments

<code>.data</code>	A <code>data.frame</code>
--------------------	---------------------------

Value

An object of class `fst_table`

Examples

```
iris %>%  
  as_fst() -> iris_fst  
iris_fst
```

complete	<i>Complete a data frame with missing combinations of data</i>
----------	--

Description

Turns implicit missing values into explicit missing values. Analogous function for `complete` function in **tidyr**.

Usage

```
complete(.data, ..., fill = NA)
```

Arguments

<code>.data</code>	<code>data.frame</code>
<code>...</code>	Specification of columns to expand. The selection of columns is supported by the flexible select_dt . To find all unique combinations of provided columns, including those not found in the data, supply each variable as a separate argument. But the two modes (select the needed columns and fill outside values) could not be mixed, find more details in examples.
<code>fill</code>	Atomic value to fill into the missing cell, default uses NA.

Details

When the provided columns with addition data are of different length, all the unique combinations would be returned. This operation should be used only on unique entries, and it will always returned the unique entries.

If you supply `fill` parameter, these values will also replace existing explicit missing values in the data set.

Value

`data.table`

See Also

[complete](#)

Examples

```
df <- data.table(
  group = c(1:2, 1),
  item_id = c(1:2, 2),
  item_name = c("a", "b", "b"),
  value1 = 1:3,
  value2 = 4:6
)

df %>% complete(item_id,item_name)
df %>% complete(item_id,item_name,fill = 0)
df %>% complete("item")
df %>% complete(item_id=1:3)
df %>% complete(item_id=1:3,group=1:2)
df %>% complete(item_id=1:3,group=1:3,item_name=c("a","b","c"))
```

count	<i>Count observations by group</i>
-------	------------------------------------

Description

Analogous function for count and add_count in **dplyr**.

Usage

```
count(.data, ..., sort = FALSE, name = "n")

add_count(.data, ..., name = "n")
```

Arguments

.data	data.table
...	variables to group by.
sort	logical. If TRUE result will be sorted in descending order by resulting variable.
name	character. Name of resulting variable. Default uses "n".

Value

data.table

Examples

```
a = as.data.table(mtcars)
count(a,cyl)
count(a,cyl,sort = TRUE)
a
```

```
b = as.data.table(iris)
b %>% add_count(Species,name = "N")
b
```

cummean	<i>Cumulative mean</i>
---------	------------------------

Description

Returns a vector whose elements are the cumulative mean of the elements of the argument.

Usage

```
cummean(x)
```

Arguments

x a numeric or complex object, or an object that can be coerced to one of these.

Value

A numeric vector

Examples

```
cummean(1:10)
```

distinct	<i>Select distinct/unique rows in data.table</i>
----------	--

Description

Analogous function for distinct in **dplyr**

Usage

```
distinct(.data, ..., .keep_all = FALSE)
```

Arguments

.data	data.table
...	Optional variables to use when determining uniqueness. If there are multiple rows for a given combination of inputs, only the first row will be preserved. If omitted, will use all variables.
.keep_all	If TRUE, keep all variables in data.table. If a combination of ... is not distinct, this keeps the first row of values.

Value

data.table

See Also

[distinct](#)

Examples

```
a = as.data.table(iris)
b = as.data.table(mtcars)
a %>% distinct(Species)
b %>% distinct(cyl,vs,.keep_all = TRUE)
```

drop_na	<i>Drop or delete data by rows or columns</i>
---------	---

Description

drop_na drops entries by specified columns. delete_na deletes rows or columns with too many NAs.

Usage

```
drop_na(.data, ...)
```

```
delete_na(.data, MARGIN, n)
```

Arguments

.data	A data.table
...	Columns to be dropped or deleted.
MARGIN	1 or 2. 1 for deleting rows, 2 for deleting columns.
n	If number (proportion) of NAs is larger than or equal to "n", the columns/rows would be deleted. When smaller than 1, use as proportion. When larger or equal to 1, use as number.

Value

A data.table

Examples

```
x = data.table(x = c(1, 2, NA, 3), y = c(NA, NA, 4, 5), z = rep(NA, 4))
x
x %>% delete_na(2, 0.75)

x = data.table(x = c(1, 2, NA, 3), y = c(NA, NA, 4, 5), z = rep(NA, 4))
x %>% delete_na(2, 0.5)

x = data.table(x = c(1, 2, NA, 3), y = c(NA, NA, 4, 5), z = rep(NA, 4))
x %>% delete_na(2, 0.24)

x = data.table(x = c(1, 2, NA, 3), y = c(NA, NA, 4, 5), z = rep(NA, 4))
x %>% delete_na(2, 2)

x = data.table(x = c(1, 2, NA, 3), y = c(NA, NA, 4, 5), z = rep(NA, 4))
x %>% delete_na(1, 0.6)
x = data.table(x = c(1, 2, NA, 3), y = c(NA, NA, 4, 5), z = rep(NA, 4))
x %>% delete_na(1, 2)
```

dummy

Fast creation of dummy variables

Description

Quickly create dummy (binary) columns from character and factor type columns in the inputted data (and numeric columns if specified.) This function is useful for statistical analysis when you want binary columns rather than character columns.

Usage

```
dummy(.data, ..., longname = TRUE)
```

Arguments

.data	data.frame
...	Columns you want to create dummy variables from. Very flexible, find in the examples.
longname	logical. Should the output column be labeled with the original column name? Default uses TRUE.

Details

If no columns provided, will return the original data frame.

This function is inspired by **fastDummies** package, but provides simple and precise usage, whereas `fastDummies::dummy_cols` provides more features for statistical usage.

Value

data.table

See Also[dummy_cols](#)**Examples**

```
iris = as.data.table(iris)
iris %>% dummy(Species)
iris %>% dummy(Species, longname = FALSE)

mtcars = as.data.table(mtcars)
mtcars %>% head() %>% dummy(vs, am)
mtcars %>% head() %>% dummy("cyl|gear")
```

export_fst

*Read and write fst files***Description**

Wrapper for [read_fst](#) and [write_fst](#) from **fst**, but use a different default. For data import, always return a data.table. For data export, always compress the data to the smallest size.

Usage

```
export_fst(x, path, compress = 100, uniform_encoding = TRUE)

import_fst(
  path,
  columns = NULL,
  from = 1,
  to = NULL,
  as.data.table = TRUE,
  old_format = FALSE
)
```

Arguments

x	a data frame to write to disk
path	path to fst file
compress	value in the range 0 to 100, indicating the amount of compression to use. Lower values mean larger file sizes. The default compression is set to 50.

uniform_encoding	If 'TRUE', all character vectors will be assumed to have elements with equal encoding. The encoding (latin1, UTF8 or native) of the first non-NA element will be used as encoding for the whole column. This will be a correct assumption for most use cases. If 'uniform.encoding' is set to 'FALSE', no such assumption will be made and all elements will be converted to the same encoding. The latter is a relatively expensive operation and will reduce write performance for character columns.
columns	Column names to read. The default is to read all columns.
from	Read data starting from this row number.
to	Read data up until this row number. The default is to read to the last row of the stored dataset.
as.data.table	If TRUE, the result will be returned as a data.table object. Any keys set on dataset x before writing will be retained. This allows for storage of sorted datasets. This option requires data.table package to be installed.
old_format	must be FALSE, the old fst file format is deprecated and can only be read and converted with fst package versions 0.8.0 to 0.8.10.

Value

'import_fst' returns a data.table with the selected columns and rows. 'export_fst' writes 'x' to a 'fst' file and invisibly returns 'x' (so you can use this function in a pipeline).

See Also

[read_fst](#)

Examples

```
export_fst(iris,"iris_fst_test.fst")
iris_dt = import_fst("iris_fst_test.fst")
iris_dt
unlink("iris_fst_test.fst")
```

fill	<i>Fill in missing values with previous or next value</i>
------	---

Description

Fills missing values in selected columns using the next or previous entry.

Usage

```
fill(.data, ..., direction = "down")
```

```
shift_fill(x, direction = "down")
```

Arguments

.data	A data.table
...	A selection of columns.
direction	Direction in which to fill missing values. Currently either "down" (the default), "up".
x	A vector.

Details

fill is filling data.table's columns, shift_fill is filling any vectors.

Value

A filled data.table

Examples

```
df <- data.table(Month = 1:12, Year = c(2000, rep(NA, 10), 2001))
df
df %>% fill(Year)

df <- data.table(Month = 1:12, Year = c(2000, rep(NA, 10), 2001))
df %>% fill(Year, direction = "up")
```

filter	<i>Filter entries in data.frame</i>
--------	-------------------------------------

Description

Analogous function for filter in **dplyr**.

Usage

```
filter(.data, ...)
```

Arguments

.data	data.frame
...	List of variables or name-value pairs of summary/modifications functions.

Details

Currently data.table is not able to delete rows by reference,

Value

A data.table

References

- <https://github.com/Rdatatable/data.table/issues/635>
- <https://stackoverflow.com/questions/10790204/how-to-delete-a-row-by-reference-in-data-table>

See Also

[filter](#)

Examples

```
iris = as.data.table(iris)
iris %>% filter(Sepal.Length > 7)
iris %>% filter(Sepal.Length > 7, Sepal.Width > 3)
iris %>% filter(Sepal.Length > 7 & Sepal.Width > 3)
iris %>% filter(Sepal.Length == max(Sepal.Length))
```

fst	<i>Parse, inspect and extract data.table from fst file</i>
-----	--

Description

An API for reading fst file as data.table.

Usage

```
parse_fst(path)

slice_fst(ft, row_no)

select_fst(ft, ...)

filter_fst(ft, ...)

summary_fst(ft)
```

Arguments

- path path to fst file
- ft An object of class fst_table, returned by parse_fst
- row_no An integer vector (Positive)
- ... The filter conditions

Details

`summary_fst` could provide some basic information about the `fst` table.

Value

`parse_fst` returns a `fst_table` class.

`select_fst` and `filter_fst` returns a `data.table`.

See Also

[fst](#), [metadata_fst](#)

Examples

```
# write the file first
path = tempfile(fileext = ".fst")
fst::write_fst(iris,path)
# parse the file but not reading it
parse_fst(path) -> ft

ft

class(ft)
lapply(ft,class)
names(ft)
dim(ft)
summary_fst(ft)

# get the data by query
ft %>% slice_fst(1:3)
ft %>% slice_fst(c(1,3))

ft %>% select_fst(Sepal.Length)
ft %>% select_fst(Sepal.Length,Sepal.Width)
ft %>% select_fst("Sepal.Length")
ft %>% select_fst(1:3)
ft %>% select_fst(1,3)
ft %>% select_fst("Se")

# return a warning with message

ft %>% select_fst("nothing")

ft %>% select_fst("Se|Sp")
ft %>% select_fst(cols = names(iris)[2:3])

ft %>% filter_fst(Sepal.Width > 3)
ft %>% filter_fst(Sepal.Length > 6 , Species == "virginica")
ft %>% filter_fst(Sepal.Length > 6 & Species == "virginica" & Sepal.Width < 3)
```

group_by	<i>Group by one or more variables</i>
----------	---------------------------------------

Description

Most data operations are done on groups defined by variables. `group_by` will group the `data.table` by selected variables (setting them as keys), and arrange them in ascending order. `group_exe` could do computations by group, it receives an object returned by `group_by`.

Usage

```
group_by(.data, ...)

group_exe(.data, ...)

groups(x)

ungroup(x)
```

Arguments

<code>.data</code>	A <code>data.table</code>
<code>...</code>	For <code>group_by</code> : Variables to group by. For <code>group_exe</code> : Any data manipulation arguments that could be implemented on a <code>data.table</code> .
<code>x</code>	A <code>data.table</code>

Details

For `mutate` and `summarise`, it is recommended to use the innate "by" parameter, which is faster. Once the `data.table` is grouped, the order is changed forever.

`groups()` could return a character vector of specified groups.

`ungroup()` would delete the keys in `data.table`.

Value

A `data.table` with keys

Examples

```
a = as.data.table(iris)
a
a %>%
  group_by(Species) %>%
  group_exe(
    head(3)
  )
groups(a)
```

```
ungroup(a)
groups(a)
```

inner_join

Join tables

Description

The mutating joins add columns from ‘y’ to ‘x’, matching rows based on the keys:

* ‘inner_join()’: includes all rows in ‘x’ and ‘y’. * ‘left_join()’: includes all rows in ‘x’. * ‘right_join()’: includes all rows in ‘y’. * ‘full_join()’: includes all rows in ‘x’ or ‘y’.

Filtering joins filter rows from ‘x’ based on the presence or absence of matches in ‘y’:

* ‘semi_join()’ return all rows from ‘x’ with a match in ‘y’. * ‘anti_join()’ return all rows from ‘x’ without a match in ‘y’.

Usage

```
inner_join(x, y, by = NULL, on = NULL)
```

```
left_join(x, y, by = NULL, on = NULL)
```

```
right_join(x, y, by = NULL, on = NULL)
```

```
full_join(x, y, by = NULL, on = NULL)
```

```
anti_join(x, y, by = NULL, on = NULL)
```

```
semi_join(x, y, by = NULL, on = NULL)
```

Arguments

x	A data.table
y	A data.table
by	(Optional) A character vector of variables to join by. If ‘NULL’, the default, ‘*_join()’ will perform a natural join, using all variables in common across ‘x’ and ‘y’. A message lists the variables so that you can check they’re correct; suppress the message by supplying ‘by’ explicitly. To join by different variables on ‘x’ and ‘y’, use a named vector. For example, ‘by = c("a" = "b")’ will match ‘x\$a’ to ‘y\$b’. To join by multiple variables, use a vector with length > 1. For example, ‘by = c("a", "b")’ will match ‘x\$a’ to ‘y\$a’ and ‘x\$b’ to ‘y\$b’. Use a named vector to match different variables in ‘x’ and ‘y’. For example, ‘by = c("a" = "b", "c" = "d")’ will match ‘x\$a’ to ‘y\$b’ and ‘x\$c’ to ‘y\$d’.
on	(Optional) Indicate which columns in x should be joined with which columns in y. Examples included: 1..by = c("a", "b") (this is a must for set_full_join); 2..by = c(x1="y1", x2="y2"); 3..by = c("x1==y1", "x2==y2"); 4..by = c("a", "V2="b"); 5..by = .(a, b); 6..by = c("x>=a", "y<=b") or .by = .(x>=a, y<=b).

Value

A `data.table`

Examples

```
workers = fread("
  name company
  Nick Acme
  John Ajax
  Daniela Ajax
")

positions = fread("
  name position
  John designer
  Daniela engineer
  Cathie manager
")

workers %>% inner_join(positions)
workers %>% left_join(positions)
workers %>% right_join(positions)
workers %>% full_join(positions)

# filtering joins
workers %>% anti_join(positions)
workers %>% semi_join(positions)

# To suppress the message, supply 'by' argument
workers %>% left_join(positions, by = "name")

# Use a named 'by' if the join variables have different names
positions2 = setNames(positions, c("worker", "position")) # rename first column in 'positions'
workers %>% inner_join(positions2, by = c("name" = "worker"))

# the syntax of 'on' could be a bit different
workers %>% inner_join(positions2, on = "name==worker")
```

lead

Fast lead/lag for vectors

Description

Analogous function for lead and lag in **dplyr** by wrapping **data.table**'s `shift`.

Usage

```
lead(x, n = 1L, fill = NA)
```

```
lag(x, n = 1L, fill = NA)
```

Arguments

<code>x</code>	A vector
<code>n</code>	a positive integer of length 1, giving the number of positions to lead or lag by. Default uses 1
<code>fill</code>	Value to use for padding when the window goes beyond the input length. Default uses NA

Value

A vector

See Also

[lead,shift](#)

Examples

```
lead(1:5)
lag(1:5)
lead(1:5,2)
lead(1:5,n = 2,fill = 0)
```

longer

Pivot data between long and wide

Description

Fast table pivoting from long to wide and from wide to long. These functions are supported by `dcast.data.table` and `melt.data.table` from **data.table**.

Usage

```
longer(.data, ..., name = "name", value = "value", na.rm = FALSE)
```

```
wider(.data, ..., name, value = NULL, fun = NULL, fill = NA)
```

Arguments

.data	A data.table
...	Columns for unchanged group. Flexible, see examples.
name	Name for the measured variable names column.
value	Name for the data values column(s).
na.rm	If TRUE, NA values will be removed from the molten data.
fun	Should the data be aggregated before casting? Defaults to NULL, which uses length for aggregation. If a function is provided, with aggregated by this function.
fill	Value with which to fill missing cells. Default uses NA.

Value

A data.table

See Also

[longer_dt,wider_dt](#)

Examples

```
stocks <- data.table(
  time = as.Date('2009-01-01') + 0:9,
  X = rnorm(10, 0, 1),
  Y = rnorm(10, 0, 2),
  Z = rnorm(10, 0, 4)
)

stocks %>% longer(time)
stocks %>% longer(-(2:4)) # same
stocks %>% longer("-X|Y|Z") # same
long_stocks = longer(stocks,"ti") # same as above except for assignment

long_stocks %>% wider(time,name = "name",value = "value")

# the unchanged group could be missed if all the rest will be used
long_stocks %>% wider(name = "name",value = "value")
```

mat_df

Conversion between tidy table and named matrix

Description

Convenient functions to implement conversion between tidy table and named matrix.

Usage

```
mat_df(m)
```

```
df_mat(df, row, col, value)
```

Arguments

<code>m</code>	A matrix
<code>df</code>	A data.frame with at least 3 columns, one for row name, one for column name, and one for values. The names for column and row should be unique.
<code>row</code>	Unquoted expression of column name for row
<code>col</code>	Unquoted expression of column name for column
<code>value</code>	Unquoted expression of column name for values

Value

For `mat_df`, a data.frame. For `df_mat`, a named matrix.

Examples

```
mm = matrix(c(1:8,NA),ncol = 3,dimnames = list(letters[1:3],LETTERS[1:3]))
mm
tdf = mat_df(mm)
tdf
mat = df_mat(tdf,row,col,value)
setequal(mm,mat)

tdf %>%
  setNames(c("A","B","C")) %>%
  df_mat(A,B,C)
```

mutate

Create or transform variables

Description

`mutate()` adds new variables and preserves existing ones; `transmute()` adds new variables and drops existing ones. Both functions preserve the number of rows of the input. New variables overwrite existing variables of the same name.

`mutate_when` integrates `mutate` and `case_when` in **dplyr** and make a new tidy verb for `data.table`. `mutate_vars` is a super function to do updates in specific columns according to conditions.

If you mutate a `data.table`, it is forever changed. No copies made, which is efficient, but should be used with caution. If you still want to keep the original `data.table`, use [copy](#) first.

Usage

```
mutate(.data, ..., by)

transmute(.data, ..., by)

mutate_when(.data, when, ..., by)

mutate_vars(.data, .cols = NULL, .func, ..., by)
```

Arguments

<code>.data</code>	A <code>data.table</code>
<code>...</code>	Name-value pairs of expressions
<code>by</code>	(Optional) Mutate by what group?
<code>when</code>	An object which can be coerced to logical mode
<code>.cols</code>	Any types that can be accepted by <code>select_dt</code> .
<code>.func</code>	Function to be run within each column, should return a value or vectors with same length.

Value

A `data.table`

Examples

```
# Newly created variables are available immediately
a = as.data.table(mtcars)
copy(a) %>% mutate(cyl2 = cyl * 2)
a

# change forever
a %>% mutate(cyl2 = cyl * 2)
a

# You can also use mutate() to remove variables and
# modify existing variables
a %>% mutate(
  mpg = NULL,
  disp = disp * 0.0163871 # convert to litres
)

a %>% transmute(cyl, one = 1)
a

iris[3:8,] %>%
  as.data.table() %>%
  mutate_when(Petal.Width == .2,
    one = 1, Sepal.Length=2)
```

```
iris[3:8,] %>%
  as.data.table() %>%
  mutate_vars("Pe", scale)
```

 nest

Nest and unnest

Description

Analogous function for nest and unnest in **tidyr**. `unnest` will automatically remove other list-columns except for the target list-columns (which would be unnested later). Also, `squeeze` is designed to merge multiple columns into list column.

Usage

```
nest(.data, ..., mcols = NULL)
```

```
unnest(.data, ...)
```

```
squeeze(.data, ...)
```

```
chop(.data, ...)
```

```
unchop(.data, ...)
```

Arguments

<code>.data</code>	data.table, nested or unnested
<code>...</code>	The variables for nest group(for nest), columns to be nested(for squeeze and chop), or column(s) to be unnested(for unnest). Could receive anything that select_dt could receive.
<code>mcols</code>	Name-variable pairs in the list, form like <code>list(petal="^Pe", sepal="^Se")</code> , see example.

Details

In the nest, the data would be nested to a column named 'ndt', which is short for nested data.table.

The squeeze would not remove the original columns.

The unchop is the reverse operation of chop.

These functions are experiencing the experimental stage, especially the unnest. If they don't work on some circumstances, try **tidyr** package.

Value

data.table, nested or unnested

References

<https://www.r-bloggers.com/much-faster-unnesting-with-data-table/>

<https://stackoverflow.com/questions/25430986/create-nested-data-tables-by-collapsing-rows-into-new-data-tables>

See Also

[nest](#), [chop](#)

Examples

```
mtcars = as.data.table(mtcars)
iris = as.data.table(iris)

# examples for nest

# nest by which columns?
mtcars %>% nest(cyl)
mtcars %>% nest("cyl")
mtcars %>% nest(cyl,vs)
mtcars %>% nest(vs:am)
mtcars %>% nest("cyl|vs")
mtcars %>% nest(c("cyl","vs"))

# nest two columns directly
iris %>% nest(mcols = list(petal="^Pe",sepal="^Se"))

# nest more flexibly
iris %>% nest(mcols = list(ndt1 = 1:3,
  ndt2 = "Pe",
  ndt3 = Sepal.Length:Sepal.Width))

# examples for unnest
# unnest which column?
mtcars %>% nest("cyl|vs") %>%
  unnest(ndt)
mtcars %>% nest("cyl|vs") %>%
  unnest("ndt")

df <- data.table(
  a = list(c("a", "b"), "c"),
  b = list(c(TRUE,TRUE),FALSE),
  c = list(3,c(1,2)),
  d = c(11, 22)
)

df
df %>% unnest(a)
df %>% unnest(2)
df %>% unnest("c")
df %>% unnest(cols = names(df)[3])
```

```
# You can unnest multiple columns simultaneously
df %>% unnest(1:3)
df %>% unnest(a,b,c)
df %>% unnest("a|b|c")

# examples for squeeze
# nest which columns?
iris %>% squeeze(1:2)
iris %>% squeeze("Se")
iris %>% squeeze(Sepal.Length:Petal.Width)

# examples for chop
df <- data.table(x = c(1, 1, 1, 2, 2, 3), y = 1:6, z = 6:1)
df %>% chop(y,z)
df %>% chop(y,z) %>% unchop(y,z)
```

nth	<i>Extract the nth value from a vector</i>
-----	--

Description

Get the value from a vector with its position.

Usage

```
nth(v, n = 1)
```

Arguments

v	A vector
n	A single integer specifying the position. Default uses 1. Negative integers index from the end (i.e. -1L will return the last value in the vector). If a double is supplied, it will be silently truncated.

Value

A single value.

Examples

```
x = 1:10
nth(x, 1)
nth(x, 5)
nth(x, -2)
```

object_size	<i>Nice printing of report the Space Allocated for an Object</i>
-------------	--

Description

Provides an estimate of the memory that is being used to store an R object. A wrapper of ‘object.size’, but use a nicer printing unit.

Usage

```
object_size(object)
```

Arguments

object an R object.

Value

An object of class "object_size"

Examples

```
iris %>% object_size()
```

pull	<i>Pull out a single variable</i>
------	-----------------------------------

Description

Analogous function for pull in **dplyr**

Usage

```
pull(.data, col)
```

Arguments

.data data.frame
col A name of column or index (should be positive).

Value

A vector

See Also[pull](#)**Examples**

```
mtcars %>% pull(2)
mtcars %>% pull(cyl)
mtcars %>% pull("cyl")
```

`read_csv`*Convenient file reader*

Description

A wrapper of `fread` in **data.table**. Highlighting the encoding.

Usage

```
read_csv(path, utf8 = FALSE, ...)
```

Arguments

<code>path</code>	File name in working directory, path to file.
<code>utf8</code>	Should "UTF-8" used as the encoding? (Defaults to FALSE)
<code>...</code>	Other parameters passed to <code>data.table::fread</code> .

Value

A `data.table`

`relocate`*Change column order*

Description

Use `'relocate()'` to change column positions, using the same syntax as `'select()'`. Check similar function as `'relocate()'` in **dplyr**.

Usage

```
relocate(.data, ..., how = "first", where = NULL)
```

Arguments

<code>.data</code>	A <code>data.table</code>
<code>...</code>	Columns to move
<code>how</code>	The mode of movement, including "first", "last", "after", "before". Default uses "first".
<code>where</code>	Destination of columns selected by <code>...</code> . Applicable for "after" and "before" mode.

Details

Once you relocate the columns, the order changes forever.

Value

A `data.table` with rearranged columns.

Examples

```
df <- data.table(a = 1, b = 1, c = 1, d = "a", e = "a", f = "a")
df
df %>% relocate(f)
df %>% relocate(a, how = "last")

df %>% relocate(is.character)
df %>% relocate(is.numeric, how = "last")
df %>% relocate("[aeiou]")

df %>% relocate(a, how = "after", where = f)
df %>% relocate(f, how = "before", where = a)
df %>% relocate(f, how = "before", where = c)
df %>% relocate(f, how = "after", where = c)

df2 <- data.table(a = 1, b = "a", c = 1, d = "a")
df2 %>% relocate(is.numeric,
                 how = "after",
                 where = is.character)
df2 %>% relocate(is.numeric,
                 how = "before",
                 where = is.character)
```

replace_vars

Fast value replacement in data frame

Description

`replace_vars` could replace any value(s) or values that match specific patterns to another specific value in a `data.table`.

Usage

```
replace_vars(.data, ..., from = is.na, to)
```

Arguments

<code>.data</code>	A data.table
<code>...</code>	Columns to be replaced. If not specified, use all columns.
<code>from</code>	A value, a vector of values or a function returns a logical value. Defaults to <code>is.na</code> .
<code>to</code>	A value.

Value

A data.table.

See Also

[replace_dt](#)

Examples

```
iris %>% as.data.table() %>%
  mutate(Species = as.character(Species)) -> new_iris

new_iris %>%
  replace_vars(Species, from = "setosa", to = "SS")
new_iris %>%
  replace_vars(Species, from = c("setosa", "virginica"), to = "sv")
new_iris %>%
  replace_vars(Petal.Width, from = .2, to = 2)
new_iris %>%
  replace_vars(from = .2, to = NA)
new_iris %>%
  replace_vars(is.numeric, from = function(x) x > 3, to = 9999 )
```

rowwise_mutate	<i>Computation by rows</i>
----------------	----------------------------

Description

Compute on a data frame a row-at-a-time. This is most useful when a vectorised function doesn't exist. Only mutate and summarise are supported so far.

Usage

```
rowwise_mutate(.data, ...)
```

```
rowwise_summarise(.data, ...)
```

Arguments

`.data` A `data.table`
`...` Name-value pairs of expressions

Value

A `data.table`

See Also

[rowwise](#)

Examples

```
# without rowwise
df <- data.table(x = 1:2, y = 3:4, z = 4:5)
df %>% mutate(m = mean(c(x, y, z)))

# with rowwise
df <- data.table(x = 1:2, y = 3:4, z = 4:5)
df %>% rowwise_mutate(m = mean(c(x, y, z)))

# # rowwise is also useful when doing simulations
params = fread(" sim n mean sd
1 1      1 1
2 2      2 4
3 3     -1 2")

params %>%
  rowwise_summarise(sim,z = rnorm(n,mean,sd))
```

select	<i>Select/rename variables by name</i>
--------	--

Description

Choose or rename variables from a `data.table`. `select()` keeps only the variables you mention; `rename()` keeps all variables.

Usage

```
select(.data, ...)

select_vars(.data, ..., rm.dup = TRUE)

select_dt(.data, ..., cols = NULL, negate = FALSE)
```

```
select_mix(.data, ..., rm.dup = TRUE)

rename(.data, ...)
```

Arguments

<code>.data</code>	A <code>data.table</code>
<code>...</code>	One or more unquoted expressions separated by commas. Very flexible, same as <code>tidyfst::select_dt</code> and <code>tidyfst::select_mix</code> . details find select_dt .
<code>rm.dup</code>	Should duplicated columns be removed? Defaults to <code>TRUE</code> .
<code>cols</code>	(Optional) A numeric or character vector.
<code>negate</code>	Applicable when regular expression and "cols" is used. If <code>TRUE</code> , return the non-matched pattern. Default uses <code>FALSE</code> .

Details

No copy is made. Once you select or rename a `data.table`, they would be changed forever. `select_vars` could select across different data types, names and index. See examples.

`select_dt` and `select_mix` is the safe mode of `select` and `select_vars`, they keep the original copy but are not memory-efficient when dealing with large data sets.

Value

A `data.table`

See Also

[select_dt](#), [rename_dt](#)

Examples

```
a = as.data.table(iris)
a %>% select(1:3)
a

a = as.data.table(iris)
a %>% select_vars(is.factor, "Se")
a

a = as.data.table(iris)
a %>% select("Se") %>%
  rename(sl = Sepal.Length,
         sw = Sepal.Width)
a

DT = data.table(a=1:2,b=3:4,c=5:6)
DT
DT %>% rename(B=b)
```

separate	<i>Separate a character column into two columns using a regular expression separator</i>
----------	--

Description

Given either regular expression, `separate()` turns a single character column into two columns. Analogous to `tidyr::separate`, but only split into two columns only.

Usage

```
separate(.data, separated_colname, into, sep = "[^[:alnum:]]+", remove = TRUE)
```

Arguments

<code>.data</code>	A data frame.
<code>separated_colname</code>	Column name, string only.
<code>into</code>	Character vector of length 2.
<code>sep</code>	Separator between columns.
<code>remove</code>	If TRUE, remove input column from output data frame.

Value

A data.table

See Also

[separate](#), [unite_dt](#)

Examples

```
df <- data.table(x = c(NA, "a.b", "a.d", "b.c"))
df %>% separate(x, c("A", "B"))
# equals to
df <- data.table(x = c(NA, "a.b", "a.d", "b.c"))
df %>% separate("x", c("A", "B"))
```

 slice

 Subset rows using their positions

Description

‘slice()’ lets you index rows by their (integer) locations. It allows you to select, remove, and duplicate rows. It is accompanied by a number of helpers for common use cases:

* ‘slice_head()’ and ‘slice_tail()’ select the first or last rows. * ‘slice_sample()’ randomly selects rows. * ‘slice_min()’ and ‘slice_max()’ select rows with highest or lowest values of a variable.

Usage

```
slice(.data, ...)
```

```
slice_head(.data, n)
```

```
slice_tail(.data, n)
```

```
slice_max(.data, order_by, n, with_ties = TRUE)
```

```
slice_min(.data, order_by, n, with_ties = TRUE)
```

```
slice_sample(.data, n, replace = FALSE)
```

Arguments

.data	A data.table
...	Provide either positive values to keep, or negative values to drop. The values provided must be either all positive or all negative.
n	When larger than or equal to 1, the number of rows. When between 0 and 1, the proportion of rows to select.
order_by	Variable or function of variables to order by.
with_ties	Should ties be kept together? The default, ‘TRUE’, may return more rows than you request. Use ‘FALSE’ to ignore ties, and return the first ‘n’ rows.
replace	Should sampling be performed with (‘TRUE’) or without (‘FALSE’, the default) replacement.

Value

A data.table

See Also

[slice](#)

Examples

```

a = as.data.table(iris)
slice(a,1,2)
slice(a,2:3)
slice_head(a,5)
slice_head(a,0.1)
slice_tail(a,5)
slice_tail(a,0.1)
slice_max(a,Sepal.Length,10)
slice_max(a,Sepal.Length,10,with_ties = FALSE)
slice_min(a,Sepal.Length,10)
slice_min(a,Sepal.Length,10,with_ties = FALSE)
slice_sample(a,10)
slice_sample(a,0.1)

```

summarise

Summarise columns to single values

Description

Create one or more scalar variables summarizing the variables of an existing data.table.

Usage

```

summarise(.data, ..., by = NULL)

summarise_when(.data, when, ..., by = NULL)

summarise_vars(.data, .cols = NULL, .func, ..., by)

```

Arguments

.data	A data.table
...	List of variables or name-value pairs of summary/modifications functions for summarise_dt. Additional parameters to be passed to parameter '.func' in summarise_vars.
by	Unquoted name of grouping variable or list of unquoted names of grouping variables. For details see data.table
when	An object which can be coerced to logical mode
.cols	Columns to be summarised.
.func	Function to be run within each column, should return a value or vectors with same length.

Value

A data.table

Examples

```
a = as.data.table(iris)
a %>% summarise(sum = sum(Sepal.Length), avg = mean(Sepal.Length))

a %>%
  summarise_when(Sepal.Length > 5, avg = mean(Sepal.Length), by = Species)

a %>%
  summarise_vars(is.numeric, min, by = Species)
```

sys_time_print	<i>Convenient print of time taken</i>
----------------	---------------------------------------

Description

Convenient printing of time elapsed. A wrapper of `data.table::timetaken`, but showing the results more directly.

Usage

```
sys_time_print(expr)
```

Arguments

`expr` Valid R expression to be timed.

Value

A character vector of the form HH:MM:SS, or SS.MMMsec if under 60 seconds. See examples.

See Also

[timetaken](#), [system.time](#)

Examples

```
sys_time_print(Sys.sleep(1))

a = as.data.table(iris)
sys_time_print({
  res = a %>%
    mutate(one = 1)
})
res
```

uncount	<i>"Uncount" a data frame</i>
---------	-------------------------------

Description

Performs the opposite operation to `dplyr::count()`, duplicating rows according to a weighting variable (or expression). Analogous to `tidyr::uncount`.

Usage

```
uncount(.data, wt, .remove = TRUE)
```

Arguments

<code>.data</code>	A data.frame
<code>wt</code>	A vector of weights.
<code>.remove</code>	Should the column for weights be removed? Default uses TRUE.

Value

A data.table

See Also

[count](#), [uncount](#)

Examples

```
df <- data.table(x = c("a", "b"), n = c(1, 2))
uncount(df, n)
uncount(df,n,FALSE)
```

unite	<i>Unite multiple columns into one by pasting strings together</i>
-------	--

Description

Convenience function to paste together multiple columns into one. Analogous to `tidyr::unite`.

Usage

```
unite(.data, united_colname, ..., sep = "_", remove = FALSE, na2char = FALSE)
```

Arguments

<code>.data</code>	A data frame.
<code>united_colname</code>	The name of the new column, string only.
<code>...</code>	A selection of columns. If want to select all columns, pass <code>"</code> to the parameter. See example.
<code>sep</code>	Separator to use between values.
<code>remove</code>	If TRUE, remove input columns from output data frame.
<code>na2char</code>	If FALSE, missing values would be merged into NA, otherwise NA is treated as character "NA". This is different from tidyr .

Value

A data.table

See Also

[unite, separate](#)

Examples

```
df <- CJ(x = c("a", NA), y = c("b", NA))
df

# Treat missing value as NA, default
df %>% unite("z", x:y, remove = FALSE)
# Treat missing value as character "NA"
df %>% unite("z", x:y, na2char = TRUE, remove = FALSE)
# the unite has memory, "z" would not be removed in new operations
# here we remove the original columns ("x" and "y")
df %>% unite("xy", x:y, remove = TRUE)

# Select all columns
iris %>% as.data.table %>% unite("merged_name", "")
```

utf8_encoding

Use UTF-8 for character encoding in a data frame

Description

fread from **data.table** could not recognize the encoding and return the correct form, this could be inconvenient for text mining tasks. The utf8-encoding could use "UTF-8" as the encoding to override the current encoding of characters in a data frame.

Usage

```
utf8_encoding(.data, .cols)
```

Arguments

<code>.data</code>	A data.frame.
<code>.cols</code>	The columns you want to convert, usually a character column.

Value

A data.table with characters in UTF-8 encoding

Examples

```
iris %>%  
  as.data.table() %>%  
  utf8_encoding(Species) # could also use `is.factor`
```

Index

`add_count` (`count`), 5
`anti_join` (`inner_join`), 15
`arrange`, 2, 3
`as_fst`, 3

`chop`, 22
`chop` (`nest`), 21
`complete`, 4, 4
`copy`, 19
`count`, 5, 34
`cummean`, 6

`data.table`, 32
`delete_na` (`drop_na`), 7
`df_mat` (`mat_df`), 18
`distinct`, 6, 7
`drop_na`, 7
`dummy`, 8
`dummy_cols`, 9

`export_fst`, 9

`fill`, 10
`filter`, 11, 12
`filter_fst` (`fst`), 12
`fst`, 12, 13
`full_join` (`inner_join`), 15

`group_by`, 14
`group_exe` (`group_by`), 14
`groups` (`group_by`), 14

`import_fst` (`export_fst`), 9
`inner_join`, 15

`lag` (`lead`), 16
`lead`, 16, 17
`left_join` (`inner_join`), 15
`longer`, 17
`longer_dt`, 18

`mat_df`, 18
`metadata_fst`, 13
`mutate`, 19
`mutate_vars` (`mutate`), 19
`mutate_when` (`mutate`), 19

`nest`, 21, 22
`nth`, 23

`object_size`, 24

`parse_fst` (`fst`), 12
`pull`, 24, 25

`read_csv`, 25
`read_fst`, 9, 10
`relocate`, 25
`rename` (`select`), 28
`rename_dt`, 29
`replace_dt`, 27
`replace_vars`, 26
`right_join` (`inner_join`), 15
`rowwise`, 28
`rowwise_mutate`, 27
`rowwise_summarise` (`rowwise_mutate`), 27

`select`, 28
`select_dt`, 4, 20, 21, 29
`select_dt` (`select`), 28
`select_fst` (`fst`), 12
`select_mix` (`select`), 28
`select_vars` (`select`), 28
`semi_join` (`inner_join`), 15
`separate`, 30, 30, 35
`setorder`, 3
`shift`, 17
`shift_fill` (`fill`), 10
`slice`, 31, 31
`slice_fst` (`fst`), 12
`slice_head` (`slice`), 31
`slice_max` (`slice`), 31

`slice_min(slice)`, [31](#)
`slice_sample(slice)`, [31](#)
`slice_tail(slice)`, [31](#)
`squeeze(nest)`, [21](#)
`summarise`, [32](#)
`summarise_vars(summarise)`, [32](#)
`summarise_when(summarise)`, [32](#)
`summary_fst(fst)`, [12](#)
`sys_time_print`, [33](#)
`system.time`, [33](#)

`timetaken`, [33](#)
`transmute(mutate)`, [19](#)

`unchop(nest)`, [21](#)
`uncount`, [34](#), [34](#)
`ungroup(group_by)`, [14](#)
`unite`, [34](#), [35](#)
`unite_dt`, [30](#)
`unnest(nest)`, [21](#)
`utf8_encoding`, [35](#)

`wider(longer)`, [17](#)
`wider_dt`, [18](#)
`write_fst`, [9](#)